




 **suprabeam®**
Danish Design | Swiss Engineering

CONTENT - CONTENU - INHALT - INDHOLD- CONTENIDO

Q1		6
Q2		7
Q3		10
Q4		11
Q5		14
Q7		15
M6		18
V3 _{air}		19
V3 _{pro}		22
V4 _{pro}		23
S2		26
S4		27
B6 _r		32
ACCESSORIES - ACCESSOIRES - ZUBEHÖR - TILBEHØR - ACCESORIOS		 38-39

UK HOW TO USE THE CATALOGUE - FR COMMENT UTILISER LE CATALOGUE -
DE SO VERWENDEN SIE DEN KATALOG - DK HVORDAN MAN BRUGER KATALOGET -
ES CÓMO USAR EL CATÁLOGO



UK LIGHT CURVES
FR COURBES DE PERFORMANCES
DE LICHTKURVEN
DK LYSKURVER
ES GRÁFICAS DE RENDIMIENTO



UK VIDEOS
FR VIDÉOS
DE VIDEOS
DK VIDEOER
ES VIDEOS



UK EXTENDED INFORMATION
FR COMPLEMENTS D'INFORMATIONS
DE ERWEITERTE INFORMATIONEN
DK UDVIDET INFORMATION
ES INFORMACIÓN AMPLIADA



TEST



UK WHAT'S IN THE BOX
FR QU'Y A-T-IL DANS LA BOÎTE
DE INHALT
DK INDHOLD
ES EMBALAJE



UK FACTSHEETS
FR FICHES TECHNIQUES
DE DATENBLÄTTER
DK DATABLADE
ES FICHA TÉCNICA



UK MANUALS
FR MANUELS
DE HANDBÜCHER
DK MANUALER
ES MANUALES

Q1_r



SUPRABEAM HIGHLIGHTS

- UK** Internal charging - Compatible with USB-C
- FR** Chargement interne - Compatible avec USB-C
- DE** Interne Ladung - Kompatibel mit USB-C
- DK** Intern opladning - Kompatibel med USB-C
- ES** Recarga interna - Compatible con USB-C



Q1 | POWERFUL PENLIGHTS

UK INTERNAL USB-C CHARGING
FR CHARGEMENT INTERNE PAR USB C
DE INTERNE USB-C LADUNG
DK INTERN USB-C OPLADNING
ES RECARGA INTERNA USB-C

Q1_r

UK POWERFUL PEN TORCH
FR LAMPE STYLO PUISSANTE
DE HELLE STIFTLAMPE
DK KRAFTIG PENLYGTE
ES LINTERNA POTENTE


UK ROTATING HYPERFOCUS
FR MISE AU POINT ROTATIVE
DE DREHBARER HYPERFOKUS
DK RØTERENDE HYPERFOKUS
ES ENFOQUE GIRATORIO

Q1_{mini}



P/N: 501.2011

120
LUMENS



Q1



P/N: 501.3011

160
LUMENS




Q1 TRUE COLOR



P/N: 501.4011

160
LUMENS




Q1_r



P/N: 501.5011

550
LUMENS



Q2 | ULTRA COMPACT

UK INTERNAL CHARGING
FR CHARGEMENT INTERNE
DE INTERNE LADUNG
DK INTERN OPLADNING
ES RECARGA INTERNA

Q2_r

UK DIMMING + MEMORY
FR VARIATEUR + MEMOIRE
DE DIMMUNG UND MEMORY
DK DIMMING + HUKOMMELSE
ES ATENUADO + MEMORIA

UK HIGH CAPACITY LI-PO
FR LI-PO DE HAUTE CAPACITÉ
DE HOCHKAPAZITÄTS LI-PO
DK HØJKAPACITETS BATTERI
ES ALTA CAPACIDAD LI-PO

Q2



P/N: 502.1011

200
LUMENS




Q2_r



P/N: 502.5011


450
LUMENS




Q2_r INTERNAL CHARGING



Q1_r



Q2_r





Q3_r



SUPRABEAM HIGHLIGHTS

- UK** Waterproof - Tested to IP68, which ensures waterproof (2m) and dustproof protection.
- FR** Étanche à l'eau - Testé selon l'IP68, il garantit protection contre l'eau (immersion 2m) et la poussière.
- DE** Wasserdicht - Ein Produkt mit der IP68 Schutzart ist wasserdicht bis auf 2 Meter Tiefe.
- DK** Vandtæt - Testet til IP68 klassificering hvilket gør den støvtæt samt vandtæt ned til 2 meter.
- ES** Resistente al agua - Producto resistente al agua y al polvo clasificado como IP68

Q3 | COMPACT POWER

UK WATER- AND DUSTPROOF - IP68
FR ÉTANCHE À L'EAU ET À LA POUSSIÈRE - IP68
DE WASSER UND STAUBDICHT - IP68
DK VAND- OG STØVTÆT - IP68
ES RESISTENTE AL AGUA Y AL POLVO - IP68



Q3r

UK 3000 MAH BATTERY WITH USB
FR BATTERIE 3000 MAH AVEC USB
DE 3000 MAH BATTERIE MIT USB
DK 3000 MAH BATTERI MED USB
ES BATERÍA DE 3000 MAH CON USB

UK ROTATING HYPERFOCUS
FR MISE AU POINT ROTATIVE
DE DREHBARER HYPERFOKUS
DK RØTERENDE HYPERFOKUS
ES ENFOQUE DESLIZANTE

Q3 classic



SCAN FOR MORE INFO



P/N: 503.1511

330 LUMENS



3 x AAA



210 m



10°



TOUCH SWITCH



WATER- AND DUSTPROOF

Q3



SCAN FOR MORE INFO



P/N: 503.1111

380 LUMENS



3 x AAA



230 m



10° - 70°



DIMMING + MEMORY



SLIDING HYPERFOCUS

Q3r



SCAN FOR MORE INFO



P/N: 503.5211

1100 LUMENS



Li-ion 3000 mAh



200 m



15° - 70°



CHARGING IN BATTERY



WATER- AND DUSTPROOF

Q4 | FULL FEATURED

UK PROFESSIONAL POUCH INCLUDED
FR ETUI PROFESSIONNEL INCLUS
DE PROFI-GÜRTELTASCHE
DK PROFESSIONEL TASKE
ES FUNDA PROFESIONAL



Q4

UK DIMMING + MEMORY
FR VARIATEUR + MEMOIRE
DE DIMMUNG UND MEMORY
DK DIMMING + HUKOMMELSE
ES ATENUADO + MEMORIA

UK SLIDING HYPERFOCUS
FR MISE AU POINT COULISSANTE
DE SCHIEBE HYPERFOKUS
DK GLIDENDE HYPERFOKUS
ES ENFOQUE DESLIZANTE

Q4



SCAN FOR MORE INFO



P/N: 504.1011

400 LUMENS



3 x AAA



200 m



10° - 70°



DIMMING + MEMORY



SLIDING HYPERFOCUS

Q4defend



SCAN FOR MORE INFO



P/N: 504.4011

400 LUMENS



3 x AAA



200 m



10° - 70°



DIMMING + MEMORY




TACTICAL TAIL CAP

Q4defend
ANTI ROLL RING



Q3r




Q3r

WATERPROOF
IP68



Q4





SUPRABEAM HIGHLIGHTS

- UK** External USB Charging - Two 5000 mAh high drain batteries are included as a standard
- FR** Charge externe via USB - Deux batteries de 5.000 mAh incluses
- DE** Externes Laden an USB - Zwei 5000-mAh-Batterien im Standardlieferumfang
- DK** Ekstern USB Ladestation - To 5000 mAh batterier inkluderet som standard
- ES** Rápida recarga externa - Se incluyen baterías de alto rendimiento de 5000 mAd como estándar



Q7*xrs*

Q5 | TACTICAL

RECHARGEABLE LIGHT

UK TACTICAL DESIGN
FR DESIGN TACTIQUE
DE TAKTISCHE DESIGN
DK TAKTISK DESIGN
ES DISEÑO TÁCTICO

Q5_{xr}
defend



UK INTERNAL SMART CHARGING
FR CHARGE INTERNE INTELLIGENTE
DE INTELLIGENTE INTERNE LADUNG
DK SMART INTERN LADNING
ES RECARGA INTERNA INTELIGENTE

UK DIMMING + MEMORY
FR VARIATEUR + MEMOIRE
DE DIMMUNG UND MEMORY
DK DIMMING + MEMORY
ES ATENUADO + MEMORIA

Q5_{xr}
defend



P/N: 505.7005

1000
LUMENS



280 m



INTERNAL
SMART CHARGING

TACTICAL
TAILCAP

Q5_{xr} *defend*
INTERNAL SMART CHARGING



Q7 | BRIGHTER

THAN EVER BEFORE

UK DC CONVERTER TECHNOLOGY
FR TECHNOLOGIE DE CONVERSION CC
DE GLEICHSTROMWANDLER TECHNOLOGIE
DK DC CONVERTER TEKNOLOGI
ES TECNOLOGÍA CON CONVERTIDOR DC




Q7_{xrs}

UK DIMMING + MEMORY
FR VARIATEUR + MEMOIRE
DE DIMMUNG UND MEMORY
DK DIMMING + HUKOMMELSE
ES ATENUADO + MEMORIA

UK EXTERNAL USB CHARGING
FR CHARGE EXTERNE VIA USB
DE EXTERNES LADEN AN USB
DK EKSTERN USB LADESTATION
ES RÁPIDA RECARGA EXTERNA

Q7_{xrs}



Q7_{xrs}



P/N: 507.6205

2000
LUMENS




345 m




DIMMING
+ MEMORY

SLIDING
HYPERFOCUS

Q7_{xrs}
SLIDING HYPERFOCUS



Q5_{xr} *defend*





SUPRABEAM HIGHLIGHTS

- UK** M6xr has all the mounting options of our flashlight and headlamps combined
- FR** La M6xr accepte a la fois toutes les options de montage de nos torches et de nos frontales.
- DE** Die M6xr beinhaltet alle Befestigungsoptionen unserer Taschen- und Stirnlampen kombiniert.
- DK** Multilampen har alle monteringsmulighederne fra vores lommelygter og pandelamper.
- ES** M6xr tiene todas las opciones de montaje de nuestras linternas de mano y frontales.



M6xr

M6 | MULTILAMP

FOR MULTIPURPOSE

UK ELECTRONIC SWITCH + DIMMING
FR INTERRUPTEUR ELECTRONIQUE ET VARIATEUR
DE ELEKTRONISCHER SCHALTER + DIMMUNG
DK ELEKTRONISK KONTAKT + LYSDAEMPNING
ES SWITCH ELECTRÓNICO + ATENUADO

M6_{xr}

UK MULTI FUNCTIONAL
FR MULTIFUNCTION
DE MULTIFUNKTIONAL
DK MULTIFUNKTIONEL
ES MULTI FUNCIONAL

UK DC CONVERTER TECHNOLOGY
FR TECHNOLOGIE DE CONVERSION DU COURANT CONTINU
DE GLEICHSTROMWANDLER TECHNOLOGIE
DK DC CONVERTER TEKNOLOGI
ES TECNOLOGÍA CONVERTIDOR DC



V3_{air} | LIGHTWEIGHT

COMFORT

UK USB CHARGING
FR RECHARGE USB
DE USB LADUNG
DK USB LADNING
ES CARGA USB

UK ELECTRONIC DIMMING
FR VARIATEUR ÉLECTRONIQUE
DE ELEKTRONISCHER DIMMER
DK ELEKTRONISK LYSDAEMPNING
ES ATENUADO ELÉCTRICO

UK SLIDING HYPERFOCUS
FR MISE AU POINT COULISSANTE
DE SCHIEBE-HYPERFOKUS
DK GLIDENDE HYPERFOKUS
ES ENFOQUE DESLIZANTE

V3_{air} rechargeable



M6_r




SCAN FOR MORE INFO



P/N: 526.5011

M6_{xr}



V3_{air}




SCAN FOR MORE INFO



P/N: 610.1011

V3_{air} rechargeable



600
LUMENS



M6_{xr}



SCAN FOR MORE INFO



P/N: 526.6011

M6_{xr} MAGNETIC



340
LUMENS



V3_{air} rechargeable



SCAN FOR MORE INFO



P/N: 610.5211

650
LUMENS



V3_{air} SLIDING HYPERFOCUS





V3*pro*
rechargeable

SUPRABEAM HIGHLIGHTS

- UK** DC converter technology - Longer runtimes and more light
- FR** Technologie de conversion CC - Une autonomie plus importante et une lumière plus intense
- DE** Gleichstromwandler Technologie - Längere Leuchtdauer und mehr Licht
- DK** DC converter teknologi - Længere batterilevetid og højere lysudbytte
- ES** Tecnología de convertidor de DC - Tiempos de ejecución más largos y más luz.



V3pro | PROFESSIONAL PERFORMANCE

UK RED WARNING LIGHT
FR LUMIERE ROUGE DE SIGNALISATION
DE ROTES WARNLICHT
DK RØDT ADVARSELSSYLS
ES LUZ DE ADVERTENCIA

UK USB CHARGING
FR RECHARGE USB
DE USB LADUNG
DK USB LADNING
ES CARGA USB

UK SLIDING HYPERFOCUS
FR MISE AU POINT COULISSANTE
DE SCHIEBE-HYPERFOKUS
DK GLIDENDE HYPERFOCUS
ES ENFOQUE DESLIZANTE



V3pro
rechargeable

V4pro | VERSATILE FREEDOM

UK USB CHARGING
FR RECHARGE USB
DE USB LADUNG
DK USB LADNING
ES CARGA USB

UK ELECTRONIC DIMMING
FR VARIATEUR ÉLECTRONIQUE
DE ELEKTRONISCHER DIMMER
DK ELEKTRONISK LYSØÆMPNING
ES ATENUADO ELÉCTRICO

UK SOFT FOAM PAD
FR COUSSINET EN MOUSSE SOUPLE
DE SCHAUMSTOFF PAD
DK BLØD SKUM PUDE
ES SOPORTE ESPUMADO



V4pro
rechargeable

V3pro
rechargeable




SCAN FOR MORE INFO



P/N: 612.5211

V3pro rechargeable



V4pro
rechargeable




SCAN FOR MORE INFO



P/N: 613.5211

V4pro rechargeable



1000
LUMENS




V3pro rechargeable
SLIDING HYPERFOCUS



V3pro rechargerable
CHARGING IN BATTERY



1000
LUMENS



V4pro rechargeable
RED WARNING LIGHT



V4pro rechargeable
VERSATILE PLUG SYSTEM





SUPRABEAM HIGHLIGHTS

- UK** Dual optics - S4rechargeable has two different optical lenses
- FR** Double Optique - La S4rechargeable dispose de deux lentilles optiques différentes.
- DE** Doppeloptik - Die S4rechargeable hat zwei unterschiedliche Optiken.
- DK** Dobbelt optik - S4rechargeable er udstyret med to forskellige optiske linser.
- ES** Óptica Dual - La S4rechargeable cuenta con dos lentes diferentes.

S4rechargeable



S2 | DUAL LENS

DUAL ENERGY

UK DUAL ENERGY
FR DOUBLE ÉNERGIE
DE DOPPELTE ENERGIE
DK DUAL ENERGY
ES ENERGÍA DUAL

UK TRANSPORTATION LOCK
FR VERROUILLAGE DE TRANSPORT
DE TRANSPORTVERRIEGELUNG
DK TRANSPORTLÅS
ES BLOQUEO DE TRANSPORTE

UK DUAL OPTICS
FR DOUBLE OPTIQUE
DE DOPPELOPTIK
DK DOBBELT OPTIK
ES ÓPTICA DUAL



S4 | DESIGNED

FOR PROFESSIONALS

UK USB CHARGING
FR RECHARGE USB
DE USB LADUNG
DK USB LADNING
ES CARGA USB

UK HELMET MOUNT COMPATIBLE
FR MONTAGE CASQUE COMPATIBLE
DE MIT HELMHALTERUNG
DK HJELMMONTERING
ES COMPATIBLE CON MONTAJES PARA CASCOS

UK DUAL OPTICS
FR DOUBLE OPTIQUE
DE DOPPELOPTIK
DK DOBBELT OPTIK
ES ÓPTICA DUAL




S2



P/N: 602.1011

S2




S4 rechargeable



P/N: 604.5011

S4 rechargeable



300 LUMENS



S2

DUAL OPTICS



S2

WATER- AND DUSTPROOF



750 LUMENS



S4 rechargeable

HELMET MOUNT



S4 rechargeable

DC CONVERTER TECHNOLOGY





SUPRABEAM HIGHLIGHTS

- UK** RAM Air Cooling System - Performance cooling system for maximum power output
- FR** RAM Air Cooling System - Système de refroidissement performant pour une puissance maximale
- DE** RAM Air Cooling System - Leistungsstarkes Kühlsystem für maximale Ausgangsleistung
- DK** RAM Air Cooling System - Performance kølesystem for maksimal ydelse
- ES** RAM Air Cooling System - Sistema de refrigeración de alto rendimiento para obtener la máxima potencia en todo momento

B6_r

KEY FEATURES

UK BATTERY INDICATOR ON HEAD AND POWERPACK
FR INDICATEUR DE BATTERIE SUR LA LAMPE ET SUR LE PACK BATTERIE
DE BATTERIEANZEIGE AM LEUCHTKOPF UND BATTERIE
DK BATTERIINDIKATOR PÅ HOVED OG POWERPACK
ES INDICADOR DE BATERÍA EN EL CABEZAL Y POWERPACK

UK SEPARATE ON/OFF SWITCH AND TOGGLE SWITCH
FR INTERRUPTEUR MARCHÉ/ARRÊT ET INTERRUPTEUR À BASCULE SÉPARÉS
DE SEPARATER EIN/AUS-SCHALTER UND KIPPSCHALTER
DK SEPARAT ON/OFF KONTAKT OG LYSSTYRING
ES INTERRUPTOR DE ENCENDIDO/APAGADO Y CONMUTADOR SEPARADOS

UK HIGH PERFORMANCE COOLING SYSTEM
FR SYSTÈME DE REFROIDISSEMENT HAUTE PERFORMANCE
DE HOCHLEISTUNGSKÜHLSYSTEM
DK PERFORMANCE KØLESYSTEM
ES SISTEMA DE REFRIGERACIÓN DE ALTO RENDIMIENTO

UK ROBUST BAJONET PLUG SYSTEM
FR SYSTÈME DE PRISE BAILLONNETTE ROBUSTE
DE ROBUSTES BAJONETT-STECKSYSTEM
DK ROBUST BAJONETSTIK
ES SISTEMA DE ANCLAJE BAJONET

UK EASY AND FAST MOUNTING
FR MONTAGE FACILE ET RAPIDE
DE EINFACHE UND SICHERE MONTAGE
DK NEM OG HURTIG MONTERING
ES MONTAJE FÁCIL Y RÁPIDO

UK QUICK RELEASE MOUNT
FR FIXATION RAPIDE
DE QUICK RELEASE-HALTERUNG
DK QUICK RELEASE MOUNT
ES MONTAJE DE LIBERACIÓN RÁPIDA

B6_r | POWER BIKE LIGHT

UK SEPARATE ON/OFF SWITCH AND TOGGLE SWITCH
FR INTERRUPTEUR MARCHÉ/ARRÊT ET INTERRUPTEUR À BASCULE SÉPARÉS
DE SEPARATER EIN/AUS-SCHALTER UND KIPPSCHALTER
DK SEPARAT ON/OFF KONTAKT OG LYSSTYRING
ES INTERRUPTOR DE ENCENDIDO/APAGADO Y CONMUTADOR SEPARADOS

UK QUICK RELEASE MOUNT
FR FIXATION RAPIDE
DE QUICK RELEASE-HALTERUNG
DK QUICK RELEASE MOUNT
ES MONTAJE DE LIBERACIÓN RÁPIDA



B6_r


POWERPACKS

UK CHOOSE THE BATTERY SIZE THAT SUITS YOUR NEEDS
FR CHOISISSEZ LA TAILLE DE LA BATTERIE QUI CONVIENT À VOS BESOINS
DE WÄHLEN SIE DIE BATTERIEGRÖSSE, DIE IHREN BEDÜRFNISSEN ENTSPRICHT
DK VÆLG BATTERISTØRRELSER DER PASSER TIL DINE BEHOV
ES ELIJA EL TAMAÑO DE LA BATERÍA QUE SE ADAPTE A SUS NECESIDADES



72Wh

36Wh



UK SOLID ALUMINIUM HOUSING
FR SOLIDE BOÎTIER EN ALUMINIUM
DE SOLIDEN ALUMINIUMGEHÄUSE
DK SOLIDT ALUMINIUMSHUS
ES SÓLIDA CARCASA DE ALUMINIO

B6_r
36 Wh




SCAN FOR MORE INFO



P/N: 302.1001

B6_r

— : LEVEL 5 (RAM AIR COOLING)
— : LEVEL 2 (RAM AIR COOLING)



4200 LUMENS



B6_r
72 Wh



SCAN FOR MORE INFO



P/N: 302.1002

4200 LUMENS




B6_r

WATER- AND DUSTPROOF



ALKALINE

UK TYPICAL ALKALINE LIGHT CURVE
FR COURBE DE LUMIÈRE ALCALINE TYPIQUE
DE TYPISCHE ALKALINE LICHTKURVE
DK TYPISK ALKALINE LYSKURVE
ES CURVA DE LUZ ALCALINA COMÚN




UK At the time marked, the lumen output indicated is still given! +/- 15% Values.
FR A l'instant marqué, le flux lumineux indiqué est toujours donné! +/- 15% des valeurs
DE Zum markierten Zeitpunkt wird die angegeben Lumenzahl noch erreicht! +/- 15% der Werte
DK Ved den markede tid er lysniveauet/lumen indikeret tilgængeligt! +/- 15 % værdier
ES ¡En el tiempo señalado, se sigue manteniendo la potencia indicada en lúmenes! Valores de +/- 15%

MAX :


UK Maximum lumen output for a short time! <5Min.
FR Puissance lumineuse maximale pendant une courte période! <5Min.
DE Maximale Lumenzahl für eine kurze Zeit <5Min.
DK Max lumen = Lysniveau i kort tid <5Min.
ES Máxima potencia lumínica en un tiempo breve <5Min.

RECHARGEABLE

UK TYPICAL RECHARGEABLE LIGHT CURVE
FR COURBE DE LUMIÈRE RECHARGEABLE TYPIQUE
DE TYPISCHE LICHTKURVE "WIEDERAUFLADBAR"
DK TYPISK GENOPLADELIG LYSKURVE
ES CURVA DE LUZ RECARGABLE COMÚN



LUMEN/TIME	Q1 <i>mini</i>	Q1/Q1 <i>True color</i>	Q2	Q3 <i>classic</i>	Q3	Q4/Q4 <i>defend</i>	V3 <i>air</i>	S2		Q1 <i>r</i>	Q2 <i>r</i>	Q3 <i>r</i>	Q4 <i>xr</i>	Q5 <i>xr</i> <i>defend</i>	Q7 <i>xrs</i>	M6 <i>r</i>	M6 <i>xr</i>	V3 <i>air</i> <i>rechargeable</i>	V3 <i>pro</i> <i>rechargeable</i>	V4 <i>pro</i> <i>rechargeable</i>	S4 <i>rechargeable</i>
2000 LUMEN / MAX															●		●				
1000 LUMEN / >2h															5h						
1000 LUMEN / <2h															●						
1000 LUMEN / <1h															●						
1000 LUMEN / MAX												●		●	●		●		●	●	
500 LUMEN / >2h												2h			●		2.5h				
500 LUMEN / <2h												●			●		●			●	
500 LUMEN / <1h												●			●	●	●			●	
500 LUMEN / MAX										●		●	●	●	●	●	●		●	●	●
250 LUMEN / >2h												●	5h	4h	●	●	●		5h	4.5h	2h
250 LUMEN / <2h												●	●	●	●	●	●	●	●	●	●
250 LUMEN / <1h					●	●	●			●	●	●	●	●	●	●	●	●	●	●	●
250 LUMEN / MAX				●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●
100 LUMEN / >2h											2.5h	●	●	●	●	●	●	4h	●	●	●
100 LUMEN / <2h				●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●
100 LUMEN / <1h	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●
100 LUMEN / MAX	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●



SUPRABEAM HIGHLIGHTS

- UK** Convert your torch/head torch into a superbly effective bulb
- FR** Convertissez votre torche/lampe frontale en une ampoule extrêmement efficace
- DE** Verwandeln Sie Ihre Taschenlampe/Stirnlampe in eine supereffektive Glühbirne
- DK** Konverter din lommelygte/pandelampe til en yderst effektiv pære
- ES** Convierta su linterna / linterna frontal en una eficiente bombilla multiusos



ACCESSORIES



SCAN FOR MORE INFO

PART NO.: 950.070



UK - HELMET MOUNT
FR - SUPPORT DE CASQUE
DE - BEFESTIGUNG SEITLICH FÜR HELMSCHLITZ
DK - SIKKERHEDSHJELM BESLAG
ES - ADAPTADOR PARA CASCOS DE SEGURIDAD

PART NO.: 950.072



UK - FAST RAIL
FR - RAIL RAPIDE
DE - HELMBEFESTIGUNG SEITLICH FÜR RAILSYSTEM
DK - MILITÆR HJEMMESLAG
ES - ADAPTADOR PARA CASCOS FAST RAIL

PART NO.: 950.028



UK - DIFFUSER BULB - Q3/V3
FR - AMPOULE DIFFUSEUR - Q3/V3
DE - LICHT STREUER - Q3/V3
DK - LYSSKÆRM - Q3/V3
ES - ADAPTADOR PARA ACAMPAR - Q3/V3

PART NO.: 950.074



UK - STRAP MOUNT
FR - BANDES UNIVERSELLES
DE - UNIVERSELLE KLETTVERSCHLÜSSE
DK - UNIVERSELLE STROPPE
ES - CINTAS DE VELCRO

PART NO.: 950.076



UK - HELMET CLIP (S-SERIES)
FR - CLIP DE CASQUE (LA SÉRIE S)
DE - HELMCLIP (S-SERIES)
DK - HJELMCLIP (S-SERIEN)
ES - CLIP PARA CASCOS (SERIE S)

PART NO.: 950.082



UK - ADHESIVE HELMET MOUNT (S-SERIES)
FR - ADAPTATEUR DE CASQUE ADHÉSIF (LA SÉRIE S)
DE - KLEBEHALTERUNG MIT SCHLITZ FÜR CLIP (S-SERIES)
DK - SELVKLÆBENDE HJELMADAPTER (S-SERIEN)
ES - ADAPTADOR ADHESIVO PARA CASCOS (SERIE S)

PART NO.: 951.020



UK - LI-PO 16600 1100 mAh BATTERY (Q2r)
FR - LI-PO 16600 1100 mAh BATTERIE (Q2r)
DE - LI-PO 16600 1100 mAh BATTERIE (Q2r)
DK - LI-PO 16600 1100 mAh BATTERI (Q2r)
ES - LI-PO 16600 1100 mAh BATERÍA (Q2r)

PART NO.: 951.023



UK - LI-ION 18650 3000 mAh BATTERY (Q3r)
FR - LI-ION 18650 3000 mAh BATTERIE (Q3r)
DE - LI-ION 18650 3000 mAh BATTERIE (Q3r)
DK - LI-ION 18650 3000 mAh BATTERI (Q3r)
ES - LI-ION 18650 3000 mAh BATERÍA (Q3r)

PART NO.: 951.019



UK - LI-ION 18650 3000 mAh BATTERY (M6r/M6xr)
FR - LI-ION 18650 3000 mAh BATTERIE (M6r/M6xr)
DE - LI-ION 18650 3000 mAh BATTERIE (M6r/M6xr)
DK - LI-ION 18650 3000 mAh BATTERI (M6r/M6xr)
ES - LI-ION 18650 3000 mAh BATERÍA (M6r/M6xr)

PART NO.: 950.086



UK - FOAM PADS V-SERIES
FR - COUSSINETS EN MOUSSE POUR LA SÉRIE V
DE - SCHAUMSTOFF PAD FÜR V-SERIEN
DK - SKUMPUDER V-SERIE
ES - ALMOHADILLAS DE ESPUMA PARA LA SERIE V

PART NO.: 950.083



UK - FOAM PADS S-SERIES
FR - COUSSINETS EN MOUSSE POUR LA SÉRIE S
DE - SCHAUMSTOFF PAD FÜR S-SERIEN
DK - SKUMPUDER S-SERIE
ES - ALMOHADILLAS DE ESPUMA PARA LA SERIE S

PART NO.: 950.094



UK - FOAM PADS M-SERIES
FR - COUSSINETS EN MOUSSE POUR LA SÉRIE M
DE - SCHAUMSTOFF PAD FÜR M-SERIEN
DK - SKUMPUDER M-SERIE
ES - ALMOHADILLAS DE ESPUMA PARA LA SERIE M

PART NO.: 951.021



UK - LI-ION 26650 5000 mAh BATTERY (Q7xrs)
FR - LI-ION 26650 5000 mAh BATTERIE (Q7xrs)
DE - LI-ION 26650 5000 mAh BATTERIE (Q7xrs)
DK - LI-ION 26650 5000 mAh BATTERI (Q7xrs)
ES - LI-ION 26650 5000 mAh BATERÍA (Q7xrs)

PART NO.: 950.014



UK - Q2/Q3/V3 COLOUR FILTERS
FR - Q2/Q3/V3 FILTRES COULEURS
DE - Q2/Q3/V3 FARBFILTER
DK - Q2/Q3/V3 FARVEFILTER
ES - Q2/Q3/V3 FILTROS DE COLOR

PART NO.: 950.012



UK - BIKE MOUNT
FR - FIXATION POUR GUIDON
DE - FAHRRAD HALTERUNG
DK - CYKELMONTERING
ES - ADAPTADOR PARA BICICLETAS

PART NO.: 951.022



UK - LI-PO 1400 mAh USB BATTERY
FR - LI-PO 1400 mAh USB BATTERIE
DE - LI-PO 1400 mAh USB BATTERIE
DK - LI-PO 1400 mAh USB BATTERI
ES - BATERÍA USB LI-PO 1400 mAh (V3air rechargeable)

PART NO.: 951.017



UK - LI-PO 2800 mAh USB BATTERY
FR - LI-PO 2800 mAh USB BATTERIE
DE - LI-PO 2800 mAh USB BATTERIE
DK - LI-PO 2800 mAh USB BATTERI
ES - BATERÍA USB LI-PO 2800 mAh (V3/V4pro rechargeable)

PART NO.: 951.015



UK - LI-PO 1400 mAh USB BATTERY
FR - LI-PO 1400 mAh USB BATTERIE
DE - LI-PO 1400 mAh USB BATTERIE
DK - LI-PO 1400 mAh USB BATTERI
ES - BATERÍA USB LI-PO 1400 mAh (S-Series)

PART NO.: 950.096



UK - ANGLED LIGHT GUIDE (Q1-SERIES)
FR - DÉFLECTEUR DE LUMIÈRE (LA SÉRIE Q1)
DE - LICHTUMLENKER (Q1-SERIES)
DK - VINKLET LYSLEDER (Q1-SERIEN)
ES - DEFLECTOR DE LUZ (SERIE Q1)

PART NO.: 950.095/950.081/950.087



UK - TRAFFIC WAND
FR - CÔNE DIFFUSEUR
DE - VERKEHRSWARNUNG
DK - TRAFIK KEGLE
ES - SEÑAL DE TRÁFICO

PART NO.: 950.009



UK - EXTENSION CABLE - 1.3 M
FR - CÂBLE D'EXTENSION - 1.3 M
DE - VERLÄNGERUNGSKABEL - 1.3 M
DK - FORLÆNGERKABEL 1.3 M
ES - CABLE DE EXTENSION - 1.3 M (V3/V4pro rechargeable)

PART NO.: 950.301



UK - EXTENSION CABLE - 70 CM
FR - CÂBLE D'EXTENSION - 70 CM
DE - VERLÄNGERUNGSKABEL - 70 CM
DK - FORLÆNGERKABEL 70 CM
ES - CABLE DE EXTENSION - 70 CM (B6r)

PART NO.: 950.302



UK - GOPRO MOUNT
FR - SUPPORT GOPRO
DE - GOPRO-HALTERUNG
DK - GOPRO MOUNT
ES - SOPORTE PARA GOPRO (B6r)



Suprabeam is manufactured by
the Steiner Group and distributed
worldwide by:

Steiner A/S
Dyssen 3
DK-8200 Aarhus N, Denmark
Phone: +45 87 525 212

P/N: 006.0036

All technical data and information are subject to change without notice

www.suprabeam.com