

# PELI & THE MILITARY PARTNERS IN PERFORMANCE

For over half a century, Peli engineers have proudly developed custom solutions for the transport and packaging needs of the NATO. Our innovative products enable sensitive equipment to travel through hostile environments and arrive operational. Many of our models have been tested in the field as well as in combat situations. By developing custom solutions, testing new materials and continuously improving designs based on user feedback, we have been able to build this robust line of cases that proudly live up to the harsh demands of the military. We look forward to solving your toughest shipping issues and seriously encourage your requests for specific-need cases. After all, in the field, top-notch performance matters most.

Complementing our commitment to robust transport solutions, Peli offers state-of-the-art portable lighting systems. This range encompasses a variety of tactical and safety-approved flashlights and remote area lighting systems (RALS floodlights). These products provide fully portable, powerful, energy-efficient, and rechargeable lighting to remote areas and confined spaces without relying on a generator. Whether it's ensuring visibility in tactical operations or illuminating remote locations, our lighting solutions stand ready to meet the most demanding requirements with reliability and efficiency.

## TABLE OF CONTENTS

Configurable medical cases	0
Emergency lighting systems	1
EMS & protective cases	1
Heavy-duty Coolers	1
Case Accessories	1




Icon indicates select models with wheels



Rechargeable light

# CONFIGURABLE MEDICAL CASES











ITEM NO.	COLOUR	
474-MED-30180802-250	Tan	This versatile medical supply trunk fea-
474-MED-30180802-133	Gray	tures a fully removable lid.
474-MED-30180802-137	Olive Drab	Wheels included for mobility.
474-MED-30180802-032	Black	
INTERIOR DIMS:	7.07//1.10.00//D)	

This Peli-Hardigg® AL3018-0802W case has a removable lid with black carbon steel hardware, two comfort grip handles, a rivet vent, and edge casters.

NSN Number: 6545-01-508-5577 (Olive Drab)



#### **MEDICAL SUPPLY TRUNK**



ITEM NO.	COLOUR	
474-MED-30181502-250	Tan	This versatile medical supply trunk fea
474-MED-30181502-133	Gray	tures a fully removable lid.
474-MED-30181502-137	Olive Drab	Wheels included for mobility.
474-MED-30181502-032	Black	
INTERIOR DIMS: 75.6 x 45.4 x 44.4 cm (29.75"L x1	7.87"W x 17.49"D)	

This Peli-Hardigg AL3018-1502W case has a removable lid with black carbon steel hardware, two comfort grip handles, a pressure release valve and edge casters.

NSN Number: 6545-01-508-5590 (Olive Drab)

#### **MEDICAL SUPPLY TRUNK**






ITEM NO.	COLOUR	
474-MED-30181509-250	Tan	This midsize case is perfect when you
474-MED-30181509-133	Gray	need to ship supplies—plus a little extra
474-MED-30181509-137	Olive Drab	Wheels included for mobility.
474-MED-30181509-032	Black	
INTERIOR DIMS: 75.6 x 45.4 x 61.3 cm (29.75"L x 1	7.87"W x 24.12"D)	

This Peli-Hardigg" AL3018-1509W case has black carbon steel hardware, two comfort grip handles, a pressure release valve and edge casters.

NSN Number: 6545-01-508-5608 (Olive Drab)







ITEM NO.	COLOUR	
474-MED-30183602-250	Tan	This carrier boasts 331 Liters (11.7 cubic
474-MED-30183602-133	Gray	feet) of transportable protection for large, bulky items.
474-MED-30183602-137	Olive Drab	Wheels included for mobility.
474-MED-30183602-032	Black	
INTERIOR DIMS: 75.6 × 45.4 × 98.7 cm (29.75") × 1	7 97"\w/ ~ 39 97"\\)	

This Peli-Hardigg" AL3018-3602W case with 331 Liters (11.7 cubic feet) of usable space has black carbon steel hardware, two black stainless steels handles, a pressure release valve and edge casters.

NSN Number: 6545-01-508-5584 (Olive Drab)

4 PELI MOBILE MEDICAL For the most up-to-date information, please visit www.peli.com For the most up-to-date information, please visit www.peli.com For the most up-to-date information, please visit www.peli.com 5 processed information for the most up-to-date information for the mos



#### MEDCHEST 1



The medchest leg set converts the lid to a table.

The medchest leg set converts the lid to

a table.

INTERIOR DIMS:

45.7 x 30.5 x 20.3 cm (18.00"L x 12.00"W x 8.00"D)

This Peli-Hardigg" AL1812-0602 medical case has a removable lid, black carbon steel hardware, two comfort grip handles, a pressure relief valve and one 7,6 x 12,7 cm card holder.

NSN Number: 6545-01-549-3631 (Olive Drab, Fire Retardant)

#### MEDCHEST 2

ITEM NO.	COLOUR
474-MEDCHEST2-250	Tan
474-MEDCHEST2-133	Gray
474-MEDCHEST2-137	Olive Drab
474-MEDCHEST2-032	Black
474-MEDCHEST2-182	OD Fire Retardant
INTERIOR DIMS: 75.6 x 45.4 x 18.1 cm (29.75"L >	( 17.87"W x 7.12"D)

This Peli-Hardigg" AL3018-0402 medical case has a removable lid, black stainless steel hardware, two black stainless steel handles, a pressure relief valve and ID plate.

NSN Number: 6545-01-549-3650 (Olive Drab, Fire Retardant)

#### MEDCHEST 3



the lid to



ITEM NO.	COLOUR	
474-MEDCHEST3-250	Tan	The medchest leg set converts
474-MEDCHEST3-133	Gray	a table.
474-MEDCHEST3-137	Olive Drab	Wheels included for mobility.
474-MEDCHEST3-032	Black	
474-MEDCHEST3-182	OD Fire Retardant	
INTERIOR DIMS: 75.6 x 45.4 x 27.4 cm (29.75"L x 17.	87"W x 10.80"D)	

This Peli-Hardigg" AL3018-0802 medical case has a removable lid, black carbon steel hardware, six comfort grip handles, a pressure relief valve, edge casters, a 7,6 x 12,7 cm card holder and ID Plate.

NSN Number: 6545-01-533-8202 (Olive Drab, Fire Retardant)

#### **MEDCHEST 4**





ITEM NO.	COLOUR	
474-MEDCHEST4-250	Tan	The medchest leg set converts the lid to
474-MEDCHEST4-133	Gray	a table.
474-MEDCHEST4-137	Olive Drab	Wheels included for mobility.
474-MEDCHEST4-032	Black	
474-MEDCHEST4-182	OD Fire Retardant	
INTERIOR DIMS: 75.6 x 45.4 x 33 cm (29.75"L x 3	17.87"W x 12.99"D)	

This Peli-Hardigg" AL3018-0903 medical case has a removable lid, black carbon steel hardware, six comfort grip handles, a pressure relief valve, edge casters, a  $7.6 \times 12.7$  cm card holder and ID Plate.

NSN Number: 6545-01-549-3724 (Olive Drab, Fire Retardant)

#### MEDCHEST 5



• The medchest leg set converts the lid to

Wheels included for mobility.



ITEM NO.	COLOUR
474-MEDCHEST5-250	Tan
474-MEDCHEST5-133	Gray
474-MEDCHEST5-137	Olive Drab
474-MEDCHEST5-032	Black
474-MEDCHEST5-182	OD Fire Retardant

INTERIOR DIMS:

76.2 x 45.7 x 40.6 cm (30.00"L x 18.00"W x 16.00"D)

This Peli-Hardigg" AL3018-0906 medical case has a removable lid, black carbon steel hardware, six comfort grip handles, a pressure relief valve, edge casters, a removable metal divider plate installed in the lid, a  $7.6 \times 12.7 \, \text{cm}$  card holder and an ID Plate.

NSN Number: 6545-01-549-3729 (Olive Drab, Fire Retardant)

#### **MEDCHEST 6**





ITEM NO.	COLOUR	
474-MEDCHEST6-250	Tan	• The medchest leg set converts the lid to
474-MEDCHEST6-133	Gray	a table.
474-MEDCHEST6-137	Olive Drab	Wheels included for mobility.
474-MEDCHEST6-032	Black	
474-MEDCHEST6-182	OD Fire Retardant	
INTERIOR DIMS: 75.6 x 45.4 x 47.3 cm (29.75"L x	17.87"W x 18.62"D)	

This Peli-Hardigg" AL3018-0909 medical case has a removable lid, black carbon steel hardware, eight comfort grip handles, a pressure relief valve, edge casters, removable metal divider plate in the lid, a  $7.6 \times 12.7 \, \text{cm}$  card holder and an ID Plate.

NSN Number: 6545-01-545-6291 (Olive Drab, Fire Retardant)

#### MEDCHEST 7 with OPTIONAL SHELF KIT



\*Case contents not included

• The medchest leg set converts the lid to

Wheels included for mobility.
 \*Optional Shelf Kit: For the Medchest
 7 only. The kit contains two removable aluminum shelves that can be placed at multiple heights inside the case. The kit is ordered separately and is customer

a table.

installed.

The same	ITI
	474
A	474
	474
	474
	474
	474
	IN
7	75.
	*0

ITEM NO.	COLOUR
474-MEDCHEST7-250	Tan
474-MEDCHEST7-133	Gray
474-MEDCHEST7-137	Olive Drab
474-MEDCHEST7-032	Black
474-MEDCHEST7-182	OD Fire Retardant
474-MEDCHEST7-SHLFKT	*Optional

INTERIOR DIMS: 75.6 x 45.4 x 44.4 cm (2

75.6 x 45.4 x 44.4 cm (29.75"L x 17.87"W x 17.49"D)

ptional Shelf Kit: 14.5"L x 15.75"W x 6.38"D \*Optional Shelf Kit NSN No: 8145-01-579-0163

This Peli-Hardigg  $^{\circ}$  AL3018-1502 medical case has a removable lid, black carbon steel hardware, eight comfort grip handles, a pressure relief valve, edge casters, bottom bumpers, a 7,6 x 12,7 cm card holder and an ID Plate.

NSN Number: 6545-01-545-6369 (Olive Drab, Fire Retardant), 6545-01-611-7713 (Olive Drab)


#### **MEDCHEST LEG SET**



#### 474-MEDLEG-SET

This Peli-Hardigg" Leg Set quickly turns a Peli medical case into a stable, strong table system. The kit includes four high-strength aluminum and stainless steel legs and two leg braces in a heavy duty bag for easy transport. The upper leg has a slot that holds a lid catch well, and the leg's lower slot holds the base strike well for alignment and strength. The legs are strengthened side to side using the two braces that also support the lid.


NSN Number: 6515-01-545-6329





#### **MEDICAL LIGHT DUTY 3 DRAWER**





75.6 x 45.4 x 44.4 cm (29.75"L x 17.87"W x 17.49"D)

Drawers: 14.5"L x 15.8"W x 6.4"D

Drawer NSN No: 6545-01-499-5707

This Peli-Hardigg" AL3018-1502 drawer case has three light-duty injection moulded sleeve drawers, a double barrel stainless steel hinged lid with black carbon steel hardware, two comfort grip handles, a rivet vent, lid pouch, cargo net for top shelf, edge casters and bottom bumpers.

NSN Number: 6545-01-499-5674 (Olive Drab)





#### MEDICAL LIGHT DUTY 4 DRAWER



ITEM NO.	COLOUR	
474-MED-4-DRAWER-250	Tan	• Drawers: 14.5"L x 15.8"W x 6.4"D
474-MED-4-DRAWER-133	Gray	(36,8 x 40,1 x 16,3 cm)
474-MED-4-DRAWER-137	Olive Drab	
474-MED-4-DRAWER-032	Black	
INTERIOR DIMS: 75.6 x 45.4 x 44.4 cm (29.75"L x 17	7.87"W x 17.49"D)	

 $This\ Peli-Hardigg ``AL3018-1502\ drawer\ case\ has\ four\ light-duty\ injection\ moulded\ sleeve\ drawers,\ a$ double barrel stainless steel hinged lid with black carbon steel hardware, two comfort grip handles, a rivet vent, edge casters and bottom bumpers.

NSN Number: 6545-01-511-4939 (Olive Drab)



#### **MEDCHEST3 4 DRAWER**




ITEM NO.	COLOUR	*Case contents not included.
474-MEDCHEST3-4D-250	Tan	• Drawers: 15"L x 6.9"W x 7.8"D
474-MEDCHEST3-4D-133	Gray	(38,1 x 17,5 x 19,8 cm)
474-MEDCHEST3-4D-137	Olive Drab	
474-MEDCHEST3-4D-032	Black	
474-MEDCHEST3-4D-182	OD Fire Retardant	
INTERIOR DIMS: 75.6 x 45.4 x 27.4 cm (29.75"L x 17	7.87"W x10.80"D)	

This Peli-Hardigg" AL3018-0802 medical case has four heavy-duty full extension sliding drawers, a removable lid, black carbon steel hardware, eight comfort grip handles, a pressure relief valve, edge casters, a removable metal divider plate installed in the lid, a 7,6 x 12,7 cm card holder and an ID Plate.

NSN Number: 8145-01-565-3686 (Olive Drab, Fire Retardant), 8145-01-607-3487 (Olive Drab)

#### MEDCHEST3 8 DRAWER





ITEM NO.	COLOUR
474-MEDCHEST3-8D-250	Tan
474-MEDCHEST3-8D-133	Gray
474-MEDCHEST3-8D-137	Olive Drab
474-MEDCHEST3-8D-032	Black
474-MEDCHEST3-8D-182	OD Fire Retardant
INTERIOR DIMS.	

• Drawer No 1-4: 38,1 x 7,4 x 19,8 cm (15"L x 2.9"W x 7.8"D) Drawer No 5 & 6: 38,1 x 9,9 x 19,8 cm

(15"L x 3.9"W x 7.8"D)

• Drawer No 7 & 8: 38,1 x 12,4 x 19,8 cm (15"L x 4.9"W x 7.8"D)

75.6 x 45.4 x 27.4 cm (29.75"L x 17.87"W x 10.80"D)

This Peli-Hardigg™ AL3018-0802 medical case has eight heavy-duty full extension sliding drawers, a removable lid, black carbon steel hardware, eight comfort grip handles, a pressure relief valve, edge casters, a 7,6 x 12,7 cm card holder and an ID Plate.

NSN Number: 6545-01-533-8207 (Olive Drab, Fire Retardant), 6545-01-611-7720 (Olive Drab)

#### MEDCHEST STABILIZATION FEET



#### ITEM NO.

474-MED-STBLZ-KIT

#### STABILIZER FEET DIMS: 45.2 x 13.5 x 5.8 cm (17.8"L x 5.3"W x 2.3"D)

 Medchest Stabilization Feet are used on Medchests with drawers to keep the case in a stable vertical position while the drawers are opened and closed.

This kit contains two aluminum stabilizers, two plastic feet to hold the stabilizers on the case and a lid cushion to store the stabilizers when not in use

NSN Number: 6530-01-585-8660



#### **GROUND AMBULANCE CASE**




ITEM NO.	COLOUR
474-MED-AMB-250	Tan
474-MED-AMB-133	Gray
474-MED-AMB-137	Olive Drab
474-MED-AMB-032	Black
INTERIOR DIMS:	

 Waterproof and dustproof proof case is held secure with 20 military grade

• Long enough to transport a medical litter.

• Fork truck provisions come standard.

· Case is air droppable and sling loadable.



NSN Number: 8145-01-565-3684 (Olive Drab), 8145-01-565-3685 (Desert Tan)



#### **MED 4 TOTE**



ITEM NO.	COLOUR	
474-MED-4-TOTE-250	Tan	Two sizes of handy totes plus two
474-MED-4-TOTE-133	Gray	web handles, removable lid and edge casters make this set a durable,
474-MED-4-TOTE-137	Olive Drab	impact-resistant mobile system.
474-MED-4-TOTE-032	Black	
INTERIOR DIMS: 75.6 x 45.4 x 27.4 cm (29.75"L	x17.87"W x10.80"D)	
<b>Tote Large:</b> 17,8 x 41,9 x 27,3	cm (7"L x 16.5"W x 10.75"D)	Tote Large NSN No: 6545-01-499-5698
Tote Small: 12,7 x 41,9 x 27,3	cm (5"L x 16.5"W x 10.75"D)	Tote Small NSN No: 6545-01-499-5693

This Peli-Hardigg" AL3018-0802W case has three large and one small light-duty injection moulded totes. This case has a removable lid, black carbon steel hardware, two comfort grip handles, a rivet vent, and edge casters.

NSN Number: 6545-01-499-5676 (Olive Drab)



#### **TANKMATE**™ CASE

ITEM NO.	COLOUR	
474-TANKM-D-2-250	Tan	Protects two 95 GL tanks. (tanks not included)
474-TANKM-D-2-133	Gray	
474-TANKM-D-2-137	Olive Drab	Moulded in handles and tethered lid.
474-TANKM-D-2-032	Black	Pallet Stackable design.
INTERIOR DIMS: 66.3 x 37.8 x 13.7 cm (26.10"L)	x 14.90"W x 5.40"D)	

This Peli-Hardigg" TankMate" case is a custom roto moulded case designed to protect two 95 GL tanks. It is impervious to temperature and impact—the weather-resistant rotationally moulded shell has moulded-in handles and ribs to make lifting a breeze and keep stacked TankMate™ case in place no matter how tough the ride.

NSN Number: 8145-01-571-5102 (Olive Drab), 8145-01-570-7719 (Desert Tan)



#### **MED 5 TOTE**

ITEM NO.

	<b>(∰)</b>
--	------------

474-MED-5-TOTE-250	Tan	Two sizes of handy totes plus two
474-MED-5-TOTE-133	Gray	web handles, removable lid and edge casters make this set a durable,
474-MED-5-TOTE-137	Olive Drab	impact-resistant mobile system.
474-MED-5-TOTE-032	Black	
INTERIOR DIMS: 75.6 x 45.4 x 27.4 cm (29.75"L	.×17.87"W ×10.80"D)	
Tote Large: 22,9 x 31,8 x 27,3	cm (9"L x 12.5"W x 10.75"D)	Tote Large NSN No: 6545-01-499-5690
Tote Small: 15,2 x 22,9 x 27,	3 cm (6"L x 9"W x 10.75"D)	Tote Small NSN No: 6545-01-499-5692
Tote Long: 8,9 x 71,1 x 27,3 c	cm (3.5"L x 28"W x 10.75"D)	Tote Long NSN No: 6545-01-499-5687

COLOUR

This Peli-Hardigg" AL3018-0802W case has two large, two small and one long light-duty injection moulded totes. This case has a removable lid, black carbon steel hardware, two comfort grip handles, a rivet vent, and edge casters.

NSN Number: 6545-01-499-5671 (Olive Drab)



Peli lighting tools significantly boost safety and operational efficiency, crucial for military medical personnel. With Peli's advanced flashlight, you're equipped for any scenario, ensuring clear visibility in critical situations. Additionally, Peli Remote Area Lighting Systems (RALS) deliver portable, lightweight, battery-powered illumination, enhancing performance and ensuring safer work environments.



**FLASHLIGHT APPLICATIONS:** 

- Distress signal
- Search and rescue operations Access disoriented victims
- Emergency preparedness kit

RALS **APPLICATIONS:** 

- Field hospitals • Command centers
- Clean-up operations
- Walkways and perimeter lighting

2750 HEADLAMP

BATTERIES: 3 AAA Alkaline (included)

LIGHT SOURCE: LED

LENGTH: 5.7 cm (2.25")

(Photoluminescent)

MODES: High / Low / Flashing /

Red LED / Low Battery Warning

#### **FLASHLIGHTS**



#### 9050

LIGHT SOURCE: LED

BATTERIES: 2 18650 Lithium-ion (included)

LENGTH: 20,4 cm (8.03")

MODES: High / Low / Flashing Flexible battery system







Includes magnetic clip

#### 3415MZ0

LIGHT SOURCE: LED

BATTERIES: 3 AA Alkaline LENGTH: 18.9 cm (7.44")

CERTIFICATIONS:

II 1 G Ex ia op is IIC T4 Ga

MODES: High / Flashing





259

11h





BATTERIES: 4 C NiMH (included)

LENGTH: 22.2 cm (8.75")

CERTIFICATIONS: II 1 G Ex ia IIC T4 Ga

MODES: High / Low / Flashing









#### 9460



#### LIGHT SOURCE:

High Flux LEDs

#### DIMENSIONS:

59.1 x 35.6 x 23.5 cm (23.25" x 14.00" x 9.25")

LIGHT HEAD HEIGHT (MAX.):

201.9 cm (79.50")

#### BEAM SPREAD:

120⁰

- 12volt Power Supply with Dual USB Adapter
- Full time battery level indication
- Housed in a Peli<sup>™</sup> Protector Case<sup>™</sup>







#### 9470

LIGHT SOURCE: High Flux LEDs

#### DIMENSIONS:

62.9 x 50.8 x 29.8 cm (24.75" x 20.00" x 11.75")

LIGHT HEAD HEIGHT (MAX.): 208.3 cm (82.00")

#### BEAM SPREAD:

• 12volt Power Supply with Dual USB Adapter

COMING

SOON

- Full time battery level indication with low level flashing indicator
- $\bullet$  Housed in a Peli  $^{\text{TM}}$  Protector Case  $^{\text{TM}}$

9730

LIGHT SOURCE:

High Flux LEDs

101,6 cm (40")

tripod use

LIGHT HEAD HEIGHT (MAX.):

(SLA & Li-ion) available

• Evolution of 9430 and 9480 RALS

New Light Heads and batteries are

interchangeable and upgradeable

• Light heads are removable for external

Multiple battery sizes and chemistries



6000





#### 9490

LIGHT SOURCE:

High Flux LEDs

DIMENSIONS: 50.8 x 16.5 x 28.6 cm (20.00" x 6.50" x 11.25")

LIGHT HEAD HEIGHT (MAX.):

#### 182.9 cm (72.0")


BEAM SPREAD:

- Deployable 1,83 m Mast
- Intelligent Control
- (allows various light output levels) • Full time battery level indication with
- low level flashing indicator
- Quick release / Hot swappable battery design with 12 volt power supply









LIGHT SOURCE:





### High Flux LEDs


LIGHT HEAD HEIGHT (MAX.): 101,6 cm (40")

#### • Evolution of 9430 and 9480 RALS

- New Light Heads and batteries are interchangeable and upgradeable
- Light heads are removable for external tripod use
- Multiple battery sizes and chemistries (SLA & Li-ion) available









- Portable Medical equipment
- Medical Testing Kits
- Personal protective equipment
- Transport communication equipment
- Clothing

- First aid supplies
- Search & Rescue operations
- Oxygen tanks
- Regulators

#### **EMS CASES**



#### 1500EMS ACCESSORY\*

- Multi layer lid organiser with numerous clean pockets - find everything right away
- Lid organiser clear cover with VELCRO\* brand fasteners - keeps supplies in place during transport



\* EMS accessory kit. Medical supplies not included





#### 1465EMS AIR CASE

- Removable trays are easy to wipe down to keep sanitized
- Three tier customisable pullout trays give you the flexibility to
- Storage bracket keeps used and sharp objects contained. \*Sharps container not included







PELI™ MICRO CASES		
CAT. NO.	INTERIOR DIMENSIONS CM (INCHES)	EXTERIOR DIMENSIONS CM (INCHES)
M40	15.2 x 9.7 x 5.3 cm (6.00" x 3.80" x 2.10"	17.3 x 12.7 x 6.6 cm (6.80" x 5.00" x 2.60")
M50	18.5 x 10.9 x 6.1 cm (7.30" x 4.30" x 2.40")	20.6 x 14 x 7.4 cm (8.10" x 5.50" x 2.90")
M60	21.6 x 10.9 x 6.9 cm (8.50" x 4.30" x 2.70")	23.6 x 15.2 x 8.1 cm (9.30" x 6.00" x 3.20")
1010	11.1 x 7.3 x 4.3 cm (4.37" x 2.87" x 1.68")	14.9 x 10.3 x 5.4 cm (5.88" x 4.06" x 2.12")
1015	13.1 x 6.7 x 3.5 cm (5.14" x 2.64" x 1.37")	17 x 9.9 x 4.7 cm (6.68" x 3.88" x 1.86")
1020	13.5 x 9 x 4.3 cm (5.31" x 3.56" x 1.68")	17.3 x 12.1 x 5.4 cm (6.82" x 4.75" x 2.12")
1030	16.2 x 6.7 x 5.2 cm (6.37" x 2.62" x 2.06")	19.1 x 9.8 x 6.2 cm (7.50" x 3.87" x 2.43")
1040	16.5 x 9.8 x 4.4 cm (6.50" x 3.87" x 1.75")	19.1 x 12.9 x 5.4 cm (7.50" x 5.06" x 2.12")
1050	16 x 9.3 x 7 cm (6.31" x 3.68" x 2.75")	20.3 x 12.9 x 7.9 cm (7.99" x 5.06" x 3.12")
1060	21 x 10.8 x 5.7 cm 8.25" x 4.25" x 2.25")	25.1 x 14.2 x 6.7 cm (9.88" x 5.59" x 2.63")

PELI™ PROTECTOR CASE™		
CAT. NO.	INTERIOR DIMENSIONS CM (INCHES)	EXTERIOR DIMENSIONS CM (INCHES)
1150	21.1 x 14.7 x 9.5 cm (8.29" x 5.79" x 3.75")	24 x 19.8 x 10.9 cm (9.44" x 7.80" x 4.29")
1200	23.5 x 18.1 x 10.5 cm (9.25" x 7.12" x 4.12")	27 x 24.6 x 12.4 cm (10.62" x 9.68" x 4.87")
1450EU	37.4 x 26 x 15.4 cm (14.72" x 10.22" x 6.08")	40.9 x 33.1 x 17.5 cm (16.10" x 13.03" x 6.88")
1500EU	42.8 x 28.6 x 15.5 cm (16.84" x 11.27" x 6.09")	47.1 x 35.7 x 17.5 cm (18.54" x 14.05" x 6.89")
1510	50.2 x 27.9 x 19.3 cm (19.75" x 11.00" x 7.60")	55.9 x 35.1 x 22.9 cm (22.00" x 13.81" x 9.00")
1520EU	44.9 x 31.8 x 17.1 cm (17.68" x 12.53" x 6.73")	49.9 x 39.3 x 19.1 cm (19.65" x 15.49" x 7.53")
1550EU	47.3 x 36 x 19.6 cm (18.63" x 14.18" x 7.71")	52.5 x 43.5 x 21.6 cm (20.66" x 17.12" x 8.51")
1560	50.6 x 38 x 22.9 cm (19.92" x 14.98" x 9.00")	56.1 x 45.5 x 26.5 cm (22.07" x 17.92" x 10.42")
1600EU	54.6 x 42 x 20.2 cm (21.51" x 16.54" x 7.95")	61.8 x 49.4 x 22.2 cm (24.35" x 19.46" x 8.75")
1610EU	55.1 x 42.2 x 26.8 cm (21.68" x 16.62" x 10.56")	62.8 x 49.7 x 30.3 cm (24.71" x 19.58" x 11.93")
1660EU	71.6 x 50.2 x 44.8 cm (28.18" x 19.75" x 17.62")	80 x 58.1 x 48.3 cm (31.50" x 22.87" x 19.00")
1465EMS	47.3 x 25.4 x 27.8 cm (18.62" x 9.99"x 10.93")	52.9 x 32.1 x 32.4 cm (20.83" x 12.62" x 12.75")



14 PELI MOBILE MEDICAL

## HEAVY-DUTY COOLERS Designed to withstand the most demanding environments, Peli Coolers offer unmatched reliability and durability for medical military applications. Engineered to keep critical supplies and medications at optimal temperatures.



#### **80T COOLER**

INTERIOR DIMENSIONS: 27.4 x 16.3 x 19.1 cm (10.80" x 6.40" x 7.50")

**EXTERIOR DIMENSIONS:** 34 x 24 x 26.7 cm (13.40" x 9.45" x 10.50")

INT. VOLUME: 0.008 m3 (0.3 ft3)

WEIGHT: 2.3 kg (5.00 lbs)

- All-Day Cold Retention.
- Integrated, Removable Ice Pack.
- Removable Inner Tray.
- Dry Storage Compartment in the Lid.



#### **BACKPACK COOLER**

INTERIOR DIMENSIONS: 26.9 x 13 x 13.5 cm (10.60" x 5.10" x 5.30")

**EXTERIOR DIMENSIONS:** 30.7 x 18 x 55.1 cm (12.10" x 7.10" x 21.70")

INT. VOLUME: 0.005 m3 (0.17 ft3)

WEIGHT: 4.2 kg (9.30 lbs)

- High density closed cell foam for extreme insulation.
- · Leak-resistant zipper with a waterproof seal, keeping the ice and contents where they belong.
- Puncture-resistant material stands up to the hard knocks of field use.
- Exterior pocket keeps dry goods separate and secure.



#### **SLING COOLER**

INTERIOR DIMENSIONS: 37.1 x 15 x 15 cm (14.60" x 5.90" x 5.90")

**EXTERIOR DIMENSIONS:** 46.5 x 19.1 x 19.1 cm (18.30" x 7.50" x 7.50")

INT. VOLUME: 0.008 m3 (0.29 ft3)

WEIGHT: 3.6 kg (7.90 lbs)

- High density closed cell foam for extreme insulation.
- · Leak-resistant zipper with a waterproof seal, keeping the ice and contents where they belong.
- Puncture-resistant material stands up to the hard knocks of field use.
- Exterior pocket keeps dry goods separate and secure



## CASE **ACCESSORIES**



#### **EZ-CLICK™ MOLLE PANELS**

Efficiently organise lifesaving equipment inside the lid of the case. This is the first lid organiser of its kind that can quickly be released and swapped out without tools. Engineered to fit in the 1510, 1560 and 1535 Peli cases Peli cases, the panel is compatible with user supplied MOLLE pouches and Velcro<sup>™</sup> brand straps.



#### COMING SOON

#### **CAR MOUNTING BRACKETS**

Securely attach your trusted Peli cases to vehicles for ultimate on-the-go durability with Peli Legacy Mounting Brackets. Engineered for stability and ease, allowing you to access your gear without removing the case from the bracket.





16 PELI MOBILE MEDICAL For the most up-to-date information, please visit www.peli.com PELI MOBILE MEDICAL 17

### LEARN MORE ABOUT + OUR PRODUCTS







www.peli.com

www.pelicatalogue.com

www.peli.com/webinars







#### EMEAI / www.peli.com

**EUROPE, MIDDLE EAST** & AFRICA HEADQUARTERS PELI PRODUCTS, S.L.U. C/ Provença, 388 Planta 7 08025 • Barcelona, Spain Tel +34 934 674 999

FRANCE PELI PRODUCTS FRANCE S.A.S. 20/22 Rue des Petits Hôtels 75010 Paris, France Tel +33 (0)1 44 83 95 63

UK ~ PELI HARDIGG UK Unit 4, Brookfield Industrial Estate Leacon Road Ashford Kent TN23 4TU Tel + 44 (0) 1233 895 895

PELI PRODUCTS GERMANY GmbH Neudorfer Strasse 285 C 09474 Crottendorf Germany Tel +49 (0)37344 313999

DENMARK PELI PRODUCTS DENMARK APS Midtermolen 1, 2. tv. 2100 Copenhagen, Denmark Tel: +34 934 674 999

**NETHERLANDS** PELI PRODUCTS NETHERLANDS B.V. Basisweg, 10 1043AP Amsterdam, The Netherlands Tel +34 934 674 999

PELI PRODUCTS ITALY S.R.L. Viale Monte Nero, 84 20135 Milano, Italy Tel +34 934 674 999

**POLAND** PELI PRODUCTS POLAND SP. Z O.O. ul. Stary Rynek 38-39 61-772 Poznan, Poland Tel +34 934 674 999

PELICAN PRODUCTS FZE JAFZA One Building A office 1511/1512 Jebel Ali Free Zone gate 5 P.O.Box 261008 Dubai - United Arab Emirates Tel +971 4 8876550

PELICAN PRODUCTS AND SERVICES INDIA PVT. LTD Level "4", Augusta Point, Sector-53, Golf Course Road, Gurgaon 122002 Haryana, India Tel +91 124 4354148

U.S.A.

U.S.A. & GLOBAL HEADQUARTERS 23215 Early Avenue Torrance, CA 90505 USA Tel 310.326.4700 800.473.5422 (Outside CA)

\* We also have offices in Canada, Japan, China, Australia and South Korea

Distributed by:



©2024 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Peli Products, S.L.U., its parent, subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit www.peli.com and www.pelicatalogue.com.















Check out our latest posts on Peli Cases, get to know our Pro Users and take part in our different



