


20 YEARS OF EXCELLENCE

 **suprabeam**[®] **Q7 series**

CONTENT - CONTENU - INHALT - INDHOLD- CONTENIDO


Q1		6
Q2		7
Q3		10
Q4		11
Q5		14
Q7		15
M6		18
V3 _{air}		20
V3 _{pro}		24
V4 _{pro}		25
S2		28
S4		29
B6 _r		32
ACCESSORIES - ACCESSOIRES - ZUBEHÖR - TILBEHØR - ACCESORIOS		38-39

UK HOW TO USE THE CATALOGUE - FR COMMENT UTILISER LE CATALOGUE -
DE SO VERWENDEN SIE DEN KATALOG - DK HVORDAN MAN BRUGER KATALOGET -
ES CÓMO USAR EL CATÁLOGO



TEST

UK SCAN & EXPLORE - FR SCAN & EXPLORER - DE SCANNEN & ERFORSCHEN
DK SCAN & UDFORSK - ES ESCANEAR & EXPLORAR



UK LIGHT CURVES
FR COURBES DE PERFORMANCES
DE LICHTKURVEN
DK LYSKURVER
ES GRÁFICAS DE RENDIMIENTO



UK VIDEOS
FR VIDÉOS
DE VIDEOS
DK VIDEOER
ES VIDEOS



UK EXTENDED INFORMATION
FR COMPLEMENTS D'INFORMATIONS
DE ERWEITERTE INFORMATIONEN
DK UDVIDET INFORMATION
ES INFORMACIÓN AMPLIADA



UK WHAT'S IN THE BOX
FR QU'Y A-T-IL DANS LA BOÎTE
DE INHALT
DK INDHOLD
ES EMBALAJE



UK FACTSHEETS
FR FICHES TECHNIQUES
DE DATENBLÄTTER
DK DATABLADE
ES FICHA TÉCNICA




UK MANUALS
FR MANUELS
DE HANDBÜCHER
DK MANUALER
ES MANUALES

Q1_r



SUPRABEAM HIGHLIGHTS

- UK** Internal charging - Compatible with USB-C
- FR** Chargement interne - Compatible avec USB-C
- DE** Interne Ladung - Kompatibel mit USB-C
- DK** Intern opladning - Kompatibel med USB-C
- ES** Recarga interna - Compatible con USB-C



Q1 | POWERFUL PENLIGHTS

UK INTERNAL USB-C CHARGING
FR CHARGEMENT INTERNE PAR USB C
DE INTERNE USB-C LADUNG
DK INTERN USB-C OPLADNING
ES RECARGA INTERNA USB-C



Q1_r

UK POWERFUL PEN TORCH
FR LAMPE STYLO PUISSANTE
DE HELLE STIFTLAMPE
DK KRAFTIG PENLYGTE
ES LINTERNA POTENTE

UK ROTATING HYPERFOCUS
FR MISE AU POINT ROTATIVE
DE DREHBARER HYPERFOKUS
DK Roterende HYPERFOKUS
ES ENFOQUE GIRATORIO

Q1_{mini}



SCAN FOR MORE INFO



P/N: 501.2011

**120
LUMENS**



1 x AAA



60 m



10° - 70°



KEYRING



ROTATING
HYPERFOCUS

Q1



SCAN FOR MORE INFO



P/N: 501.3011

**160
LUMENS**



2 x AAA



70 m



10° - 70°



TOUCH
SWITCH



ROTATING
HYPERFOCUS

Q1 **TRUE
COLOR**



SCAN FOR MORE INFO



P/N: 501.4011

**160
LUMENS**



2 x AAA



50 m



20° - 70°



TRUE COLOR
HIGH CRI + 90



ROTATING
HYPERFOCUS

Q1_r



SCAN FOR MORE INFO



P/N: 501.5011

**550
LUMENS**



Li-Po
720 mAh



100 m



20° - 70°



INTERNAL
USB-C CHARGING



ROTATING
HYPERFOCUS

Q2 | ULTRA COMPACT

UK INTERNAL CHARGING
FR CHARGEMENT INTERNE
DE INTERNE LADUNG
DK INTERN OPLADNING
ES RECARGA INTERNA



Q2_{xr}

UK DIMMING + MEMORY
FR VARIATEUR + MEMOIRE
DE DIMMUNG UND MEMORY
DK DIMMING + HUKOMMELSE
ES ATENUADO + MEMORIA

UK HIGH CAPACITY LI-PO
FR LI-PO DE HAUTE CAPACITE
DE HOCHKAPAZITÄTS LI-PO
DK HØJKAPACITETS BATTERI
ES ALTA CAPACIDAD LI-PO

Q2



SCAN FOR MORE INFO



P/N: 502.1011

**200
LUMENS**



1 x AA



150 m



10° - 70°



TOUCH
SWITCH



SLIDING
HYPERFOCUS

Q2_{xr}



SCAN FOR MORE INFO



P/N: 502.6011

**800
LUMENS**



Li-Po
1100 mAh



175 m



10° - 70°



INTERNAL
USB-C CHARGING




SLIDING
HYPERFOCUS

Q2_{xr}


INTERNAL
USB-C CHARGING



Q1_r



Q2_{xr}



Q3_r



SUPRABEAM HIGHLIGHTS

- UK** Waterproof - Tested to IP68, which ensures waterproof (2m) and dustproof protection.
- FR** Étanche à l'eau - Testé selon l'IP68, il garantit protection contre l'eau (immersion 2m) et la poussière.
- DE** Wasserdicht - Ein Produkt mit der IP68 Schutzart ist wasserdicht bis auf 2 Meter Tiefe.
- DK** Vandtæt - Testet til IP68 klassificering hvilket gør den støvtæt samt vandtæt ned til 2 meter.
- ES** Resistente al agua - Producto resistente al agua y al polvo clasificado como IP68

Q3 | COMPACT POWER

UK WATER- AND DUSTPROOF - IP68
FR ÉTANCHE À L'EAU ET À LA POUSSIÈRE - IP68
DE WASSER UND STAUBDICHT - IP68
DK VAND- OG STØVTÆT - IP68
ES RESISTENTE AL AGUA Y AL POLVO - IP68



Q3r

UK 3000 MAH BATTERY WITH USB
FR BATTERIE 3000 MAH AVEC USB
DE 3000 MAH BATTERIE MIT USB
DK 3000 MAH BATTERI MED USB
ES BATERÍA DE 3000 MAH CON USB

UK ROTATING HYPERFOCUS
FR MISE AU POINT ROTATIVE
DE DREHBARER HYPERFOKUS
DK ROTERENDE HYPERFOCUS
ES ENFOQUE DESLIZANTE

Q3r




SCAN FOR MORE INFO



P/N: 503.5311

1100 LUMENS



Q3r

USB-C CHARGING

Q3r

PROTECTIVE GLASS



Q4 | FULL FEATURED

UK PROFESSIONAL POUCH INCLUDED
FR ETUI PROFESSIONNEL INCLUS
DE PROFI-GÜRTELTASCHE
DK PROFESSIONEL TASKE
ES FUNDA PROFESIONAL



Q4

UK DIMMING + MEMORY
FR VARIATEUR + MEMOIRE
DE DIMMUNG UND MEMORY
DK DIMMING + HUKOMMELSE
ES ATENUADO + MEMORIA

UK SLIDING HYPERFOCUS
FR MISE AU POINT COULISSANTE
DE SCHIEBE HYPERFOKUS
DK GLIDENDE HYPERFOCUS
ES ENFOQUE DESLIZANTE

Q3classic



SCAN FOR MORE INFO



P/N: 503.1511

330 LUMENS



Q3




SCAN FOR MORE INFO



P/N: 503.1111

380 LUMENS



Q4



SCAN FOR MORE INFO



P/N: 504.1011

400 LUMENS




Q4/Q3-series

PROFESSIONAL POUCH



Q3r




Q3r

WATERPROOF IP68



Q4



Q7*xrs*

SUPRABEAM HIGHLIGHTS

- UK** External USB Charging - 5000 mAh battery
- FR** Charge externe via USB - Batterie de 5.000 mAh
- DE** Externes Laden an USB - 5000-mAh-Batterie
- DK** Ekstern USB Ladestation - 5000 mAh batteri
- ES** Rápida recarga externa - Batería de 5000 mAh



Q5 | TACTICAL

RECHARGEABLE LIGHT

UK TACTICAL DESIGN
FR DESIGN TACTIQUE
DE TAKTISCHES DESIGN
DK TAKTISK DESIGN
ES DISEÑO TÁCTICO

Q5*xrs*
defend



UK INTERNAL SMART CHARGING
FR CHARGE INTERNE INTELLIGENTE
DE INTELLIGENTE INTERNE LADUNG
DK SMART INTERN LADNING
ES RECARGA INTERNA INTELIGENTE

UK DIMMING + MEMORY
FR VARIATEUR + MEMOIRE
DE DIMMUNG UND MEMORY
DK DIMMING + MEMORY
ES ATENUADO + MEMORIA

Q5

xrs
defend



P/N: 505.7111

2000
LUMENS



Q5*xrs* *defend*

SMART CHARGING WITH
EMERGENCY MODE



suprabeam

Q7 | BRIGHTER

THAN EVER BEFORE

UK DC CONVERTER TECHNOLOGY
FR TECHNOLOGIE DE CONVERSION CC
DE GLEICHSTROMWANDLER TECHNOLOGIE
DK DC CONVERTER TEKNOLOGI
ES TECNOLOGÍA CON CONVERTIDOR DC




Q7*xrs*

UK DIMMING + MEMORY
FR VARIATEUR + MEMOIRE
DE DIMMUNG UND MEMORY
DK DIMMING + HUKOMMELSE
ES ATENUADO + MEMORIA

UK EXTERNAL USB CHARGING
FR CHARGE EXTERNE VIA USB
DE EXTERNES LADEN AN USB
DK EKSTERN USB LADESTATION
ES RÁPIDA RECARGA EXTERNA

Q7*xrs*



Q7

xrs



P/N: 507.6311

4200
LUMENS



Q7*xrs*

SLIDING
HYPERFOCUS



sup

M6_{xr}

SUPRABEAM HIGHLIGHTS

- UK** M6xr has all the mounting options of our flashlight and headlamps combined
FR La M6xr accepte a la fois toutes les options de montage de nos torches et de nos frontales.
DE Die M6xr beinhaltet alle Befestigungsoptionen unserer Taschen- und Stirnlampen kombiniert.
DK Multilampen har alle monteringsmulighederne fra vores lommelygter og pandelamper.
ES M6xr tiene todas las opciones de montaje de nuestras linternas de mano y frontales.



M6 | MULTILAMP

FOR MULTIPURPOSE

UK DC CONVERTER TECHNOLOGY
FR TECHNOLOGIE DE CONVERSION DU COURANT CONTINU
DE GLEICHSTROMWANDLER TECHNOLOGIE
DK DC CONVERTER TEKNOLOGI
ES TECNOLOGÍA CONVERTIDOR DC




M6xr

UK MULTI FUNCTIONAL
FR MULTIFUNCTION
DE MULTIFUNKTIONAL
DK MULTIFUNKTIONEL
ES MULTI FUNCIONAL

UK ELECTRONIC SWITCH + DIMMING
FR INTERRUPTEUR ELECTRONIQUE ET VARIATEUR
DE ELEKTRONISCHER SCHALTER + DIMMUNG
DK ELEKTRONISK KONTAKT + LYSDÆMPNING
ES SWITCH ELECTRÓNICO + ATENUADO
TECNOLOGÍA CONVERTIDOR DC

M6xr



M6r

AVAILABLE
FROM APRIL - 2025



P/N: 526.5111

1100
LUMENS



M6xr



P/N: 526.6111

2000
LUMENS



M6xr DEFEND



P/N: 526.7111

2000
LUMENS



M6-series
MAGNETIC



UPGRADE

M6xr/M6xr DEFEND :

UK PROACTIVE SAFETY SENSOR
FR CAPTEUR DE SÉCURITÉ PROACTIF
DE PROAKTIVER SICHERHEITSSENSOR
DK PROAKTIV SIKKERHEDSSENSOR
ES SENSOR DE SEGURIDAD PROACTIVO

UK ANTI-SWEAT SILICONE DOTS
FR POINTS DE SILICONE ANTI-SUEUR
DE ANTI-SCHWEISS-SILIKON-PUNKTE
DK SILIKONEPRIKKER, SOM MODVIRKER SVED
ES PUNTOS DE SILICONA ANTISUDOR



UK EXCHANGEABLE USB-C BATTERY
FR BATTERIE INTERCHANGEABLE AVEC USB-C
DE AUSTAUSCHBARER AKKU MIT USB-C
DK UDSKIFTeligt USB-C BATTERI
ES BATERÍA INTERCAMBIABLE USB-C

UK LARGER HEADBAND MOUNT
FR BANDEAU PLUS LARGE
DE GRÖßERE KOPFBANDHALTERUNG
DK STØRRE LYGTEHOLDER
ES MONTURA DE DIADEMA MÁS GRANDE

V3air | LIGHTWEIGHT COMFORT

UK USB CHARGING
FR RECHARGE USB
DE USB LADUNG
DK USB LADNING
ES CARGA USB

UK ELECTRONIC DIMMING
FR VARIATEUR ÉLECTRONIQUE
DE ELEKTRONISCHER DIMMER
DK ELEKTRONISK LYSDÆMPNING
ES ATENUADO ELÉCTRICO

UK SLIDING HYPERFOCUS
FR MISE AU POINT COULISSANTE
DE SCHIEBE-HYPERFOKUS
DK GLIDENDE HYPERFOCUS
ES ENFOQUE DESLIZANTE



V3air
rechargeable

V3air rechargeable



V3air



SCAN FOR MORE INFO



P/N: 610.1011

340
LUMENS



195 m



10° - 70°



SCAN FOR MORE INFO



P/N: 610.5211

650
LUMENS




210 m



10° - 70°



V3air rechargeable



V3air-series SLIDING HYPERFOCUS



V3_{pro}



SUPRABEAM HIGHLIGHTS

- UK** DC converter technology - Longer runtimes and more light
- FR** Technologie de conversion CC - Une autonomie plus importante et une lumière plus intense
- DE** Gleichstromwandler Technologie - Längere Leuchtdauer und mehr Licht
- DK** DC converter teknologi - Længere batterilevetid og højere lysudbytte
- ES** Tecnología de convertidor de DC - Tiempos de ejecución más largos y más luz.

V3pro | PROFESSIONAL PERFORMANCE

UK RED WARNING LIGHT
FR LUMIERE ROUGE DE SIGNALISATION
DE ROTES WARNLICHT
DK RØDT ADVARSELSSLYS
ES LUZ DE ADVERTENCIA

UK USB-C CHARGING
FR RECHARGE USB-C
DE USB-C LADUNG
DK USB-C LADNING
ES CARGA USB-C

UK SLIDING HYPERFOCUS
FR MISE AU POINT COULISSANTE
DE SCHIEBE-HYPERFOKUS
DK GLIDENDE HYPERFOCUS
ES ENFOQUE DESLIZANTE



V3pro
rechargeable

V4pro | VERSATILE DYNAMIC

UK USB CHARGING
FR RECHARGE USB
DE USB LADUNG
DK USB LADNING
ES CARGA USB

UK ELECTRONIC DIMMING
FR VARIATEUR ÉLECTRONIQUE
DE ELEKTRONISCHER DIMMER
DK ELEKTRONISK LYSDÆMPNING
ES ATENUADO ELÉCTRICO

UK SOFT FOAM PAD
FR COUSSINET EN MOUSSE SOUPLE
DE SCHAUMSTOFF PAD
DK BLØD SKUM PUDE
ES SOPORTE ESPUMADO



V4pro
rechargeable


V3pro
rechargeable



SCAN FOR MORE INFO



V3pro rechargeable




V4pro
rechargeable



SCAN FOR MORE INFO



V4pro rechargeable



P/N: 612.5211

1000
LUMENS



V3/V4pro rechargeable
SLIDING HYPERFOCUS



V3/V4pro rechargerable
CHARGING IN BATTERY



P/N: 613.5211

1000
LUMENS



V3/V4pro rechargeable
RED WARNING LIGHT



V3/V4pro rechargeable
VERSATILE PLUG SYSTEM



S4

rechargeable



SUPRABEAM HIGHLIGHTS

- UK** Dual optics - S4rechargeable has two different optical lenses
- FR** Double Optique - La S4rechargeable dispose de deux lentilles optiques différentes.
- DE** Doppeloptik - Die S4rechargeable hat zwei unterschiedliche Optiken.
- DK** Dobbelt optik - S4rechargeable er udstyret med to forskellige optiske linser.
- ES** Óptica Dual - La S4rechargeable cuenta con dos lentes diferentes.



S2 | DUAL LENS

DUAL ENERGY

UK DUAL ENERGY
FR DOUBLE ÉNERGIE
DE DOPPELTE ENERGIE
DK DUAL ENERGY
ES ENERGÍA DUAL

UK TRANSPORTATION LOCK
FR VERROUILLAGE DE TRANSPORT
DE TRANSPORTVERRIEGELUNG
DK TRANSPORTLÅS
ES BLOQUEO DE TRANSPORTE

UK DUAL OPTICS
FR DOUBLE OPTIQUE
DE DOPPELOPTIK
DK DOBBELT OPTIK
ES ÓPTICA DUAL



S4 | DESIGNED

FOR PROFESSIONALS

UK USB-C CHARGING
FR RECHARGE USB-C
DE USB-C LADUNG
DK USB-C LADNING
ES CARGA USB-C

UK HELMET MOUNT COMPATIBLE
FR MONTAGE CASQUE COMPATIBLE
DE MIT HELMHALTERUNG
DK HJELMMONTERING
ES COMPATIBLE CON MONTAJES PARA CASCOS


UK DUAL OPTICS
FR DOUBLE OPTIQUE
DE DOPPELOPTIK
DK DOBBELT OPTIK
ES ÓPTICA DUAL



S2



S2



P/N: 602.1011

300 LUMENS
3 x AAA 85 m 20° / 60°
DUAL OPTICS DUAL ENERGY


S2/S4 rechargeable
DUAL OPTICS



S4 rechargeable



S4 rechargeable



P/N: 604.5011

750 LUMENS
Li-Po 1400 mAh 100 m 20° / 60°
DUAL OPTICS DUAL ENERGY

S2/S4 rechargeable
HELMET MOUNT



S2/S4 rechargeable
WATER- AND DUSTPROOF



S4 rechargeable
DC CONVERTER TECHNOLOGY





ENDLESS
MOUNTING
OPTIONS



NEW!
HEADBAND INCLUDED



**GO
PRO**
INTERFACE



ULTIMATE

B6_r



B6_r | POWERED

FOR MULTIPURPOSE

ULTIMATE

UK SEPARATE ON/OFF SWITCH AND TOGGLE SWITCH
FR INTERRUPTEUR MARCHÉ/ARRÊT ET INTERRUPTEUR À BASCULE SÉPARÉS
DE SEPARATER EIN/AUS-SCHALTER UND KIPPSCHALTER
DK SEPARAT ON/OFF KONTAKT OG LYSSTYRING
ES INTERRUPTOR DE ENCENDIDO/APAGADO Y CONMUTADOR SEPARADOS


UK QUICK RELEASE MOUNT
FR FIXATION RAPIDE
DE QUICK RELEASE-HALTERUNG
DK QUICK RELEASE MOUNT
ES MONTAJE DE LIBERACIÓN RÁPIDA




B6_r
36 Wh



P/N: 302.1101



4200
LUMENS



B6_r
72 Wh



P/N: 302.1102

4200
LUMENS



B6_r
WATER- AND DUSTPROOF




POWERPACKS

72Wh

UK CHOOSE THE BATTERY SIZE THAT SUITS YOUR NEEDS
FR CHOISISSEZ LA TAILLE DE LA BATTERIE QUI CONVIENT À VOS BESOINS
DE WÄHLEN SIE DIE BATTERIEGRÖSSE, DIE IHREN BEDÜRFNISSEN ENTSPRICHT
DK VÆLG BATTERISTØRRELSER DER PASSER TIL DINE BEHOV
ES ELIJA EL TAMAÑO DE LA BATERÍA QUE SE ADAPTE A SUS NECESIDADES




36Wh



UK SOLID ALUMINIUM HOUSING
FR SOLIDE BOÎTIER EN ALUMINIUM
DE SOLIDEN ALUMINIUMGEHÄUSE
DK SOLIDT ALUMINIUMSHUS
ES SÓLIDA CARCASA DE ALUMINIO

ALKALINE

UK TYPICAL ALKALINE LIGHT CURVE
FR COURBE DE LUMIÈRE ALCALINE TYPIQUE
DE TYPISCHE ALKALINE LICHTKURVE
DK TYPISK ALKALINE LYSKURVE
ES CURVA DE LUZ ALCALINA COMÚN




UK At the time marked, the lumen output indicated is still given! +/- 15% Values.
FR A l'instant marqué, le flux lumineux indiqué est toujours donné! +/- 15% des valeurs
DE Zum markierten Zeitpunkt wird die angegeben Lumenzahl noch erreicht! +/- 15% der Werte
DK Ved den markede tid er lysniveauet/lumen indikeret tilgængeligt! +/- 15 % værdier
ES ¡En el tiempo señalado, se sigue manteniendo la potencia indicada en lúmenes! Valores de +/- 15%

MAX :

UK Maximum lumen output for a short time! <5Min.
FR Puissance lumineuse maximale pendant une courte période! <5Min.
DE Maximale Lumenzahl für eine kurze Zeit <5Min.
DK Max lumen = Lysniveau i kort tid <5Min.
ES Máxima potencia luminica en un tiempo breve <5Min.

RECHARGEABLE

UK TYPICAL RECHARGEABLE LIGHT CURVE
FR COURBE DE LUMIÈRE RECHARGEABLE TYPIQUE
DE TYPISCHE LICHTKURVE "WIEDERAUFLADBAR"
DK TYPISK GENOPLADELIG LYSKURVE
ES CURVA DE LUZ RECARGABLE COMÚN



LUMEN/TIME	Q1 <i>mini</i>	Q1/Q1 <i>True color</i>	Q2	Q3 <i>classic</i>	Q3	Q4	V3 <i>air</i>	S2		Q1 <i>r</i>	Q2 <i>xr</i>	Q3 <i>r</i>	Q5 <i>xrs</i> <i>defend</i>	Q7 <i>xrs</i>	M6 <i>r</i>	M6 <i>xr</i>	V3 <i>air</i> <i>rechargeable</i>	V3 <i>pro</i> <i>rechargeable</i>	V4 <i>pro</i> <i>rechargeable</i>	S4 <i>rechargeable</i>
2000 LUMEN / MAX														●		●				
1000 LUMEN / >2h														5h						
1000 LUMEN / <2h														●						
1000 LUMEN / <1h														●						
1000 LUMEN / MAX												●	●	●		●		●	●	
500 LUMEN / >2h												2h		●		2.5h				
500 LUMEN / <2h												●		●		●			●	
500 LUMEN / <1h												●		●	●	●			●	
500 LUMEN / MAX										●	●	●	●	●	●	●		●	●	●
250 LUMEN / >2h												●	4h	●	●	●		5h	4.5h	2h
250 LUMEN / <2h												●	●	●	●	●	●	●	●	●
250 LUMEN / <1h					●	●	●			●	●	●	●	●	●	●	●	●	●	●
250 LUMEN / MAX				●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●
100 LUMEN / >2h											4h	●	●	●	●	●	4h	●	●	●
100 LUMEN / <2h				●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●
100 LUMEN / <1h	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●
100 LUMEN / MAX	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●



SUPRABEAM HIGHLIGHTS

- UK** Suprabeam keeps you safe
- FR** Suprabeam prend soin de votre sécurité
- DE** Suprabeam sorgt für ihre Sicherheit
- DK** Suprabeam sørger for din sikkerhed
- ES** Suprabeam te mantiene seguro



ADHESIVE HELMET
MOUNT (M-SERIES)
PART NO.: 950.089



ADHESIVE HELMET
MOUNT (S-SERIES)
PART NO.: 950.082



HELMET CLIP
(S-SERIES)
PART NO.: 950.076



HELMET MOUNT
PART NO.: 950.070

ACCESSORIES



SCAN FOR MORE INFO

PART NO.: 951.024



UK - LI-PO 16600 1100 mAh BATTERY (Q2xr)
FR - LI-PO 16600 1100 mAh BATTERIE (Q2xr)
DE - LI-PO 16600 1100 mAh BATTERIE (Q2xr)
DK - LI-PO 16600 1100 mAh BATTERI (Q2xr)
ES - LI-PO 16600 1100 mAh BATERÍA (Q2xr)

PART NO.: 951.030



UK - LI-ION 18650 3000 mAh USB-C BATTERY (Q3r)
FR - LI-ION 18650 3000 mAh USB-C BATTERIE (Q3r)
DE - LI-ION 18650 3000 mAh USB-C BATTERIE (Q3r)
DK - LI-ION 18650 3000 mAh USB-C BATTERI (Q3r)
ES - LI-ION 18650 3000 mAh USB-C BATERÍA (Q3r)

PART NO.: 951.029



UK - LI-ION 18650 3000 mAh USB-C BATTERY (M6)
FR - LI-ION 18650 3000 mAh USB-C BATTERIE (M6)
DE - LI-ION 18650 3000 mAh USB-C BATTERIE (M6)
DK - LI-ION 18650 3000 mAh USB-C BATTERI (M6)
ES - LI-ION 18650 3000 mAh USB-C BATERÍA (M6)

PART NO.: 995.0025



UK - POUCH (Q2xr)
FR - POCHETTE (Q2xr)
DE - GÜRTELTASCHE (Q2xr)
DK - TASKE (Q2xr)
ES - BOLSA (Q2xr)

PART NO.: 995.0172



UK - ROTATING HOLSTER (M6/Q3r)
FR - ÉTUI ROTATIF (M6/Q3r)
DE - DREHBARES HOLSTER (M6/Q3r)
DK - Roterende HVLSTER (M6/Q3r)
ES - FUNDA GIRATORIA (M6/Q3r)

PART NO.: 995.0160/995.0161



UK - ROTATING HOLSTER (Q7xrs/Q5xrs defend)
FR - ÉTUI ROTATIF (Q7xrs/Q5xrs defend)
DE - DREHBARES HOLSTER (Q7xrs/Q5xrs defend)
DK - Roterende HVLSTER (Q7xrs/Q5xrs defend)
ES - FUNDA GIRATORIA (Q7xrs/Q5xrs defend)

PART NO.: 951.025



UK - LI-ION 18650 3000 mAh BATTERY (Q5xrs defend)
FR - LI-ION 18650 3000 mAh BATTERIE (Q5xrs defend)
DE - LI-ION 18650 3000 mAh BATTERIE (Q5xrs defend)
DK - LI-ION 18650 3000 mAh BATTERI (Q5xrs defend)
ES - LI-ION 18650 3000 mAh BATERÍA (Q5xrs defend)

PART NO.: 951.031



UK - LI-ION 26650 5000 mAh BATTERY (Q7xrs)
FR - LI-ION 26650 5000 mAh BATTERIE (Q7xrs)
DE - LI-ION 26650 5000 mAh BATTERIE (Q7xrs)
DK - LI-ION 26650 5000 mAh BATTERI (Q7xrs)
ES - LI-ION 26650 5000 mAh BATERÍA (Q7xrs)

PART NO.: 952.002/952.004



UK - C4 MULTICHARGER - 2/4 BATTERIES
FR - C4 MULTICHARGER - 2/4 BATTERIES
DE - C4 MULTICHARGER - 2/4 AKKUS
DK - C4 MULTICHARGER - 2/4 BATTERIER
ES - C4 MULTICHARGER - 2/4 BATERÍAS

PART NO.: 950.012



UK - BIKE MOUNT
FR - FIXATION POUR GUIDON
DE - FAHRRAD HALTERUNG
DK - CYKELMONTERING
ES - ADAPTADOR PARA BICICLETAS

PART NO.: 950.096



UK - ANGLED LIGHT GUIDE (Q1-SERIES)
FR - DÉFLECTEUR DE LUMIÈRE (LA SÉRIE Q1)
DE - LICHTUMLENKER (Q1-SERIES)
DK - VINKLET LYSLEDER (Q1-SERIEN)
ES - DEFLECTOR DE LUZ (SERIE Q1)

PART NO.: 950.014



UK - Q2/Q3/V3 COLOUR FILTERS
FR - Q2/Q3/V3 FILTRES COULEURS
DE - Q2/Q3/V3 FARBFILTER
DK - Q2/Q3/V3 FARVEFILTER
ES - Q2/Q3/V3 FILTROS DE COLOR

PART NO.: 951.027



UK - LI-PO 1400 mAh USB-C BATTERY
FR - LI-PO 1400 mAh USB-C BATTERIE
DE - LI-PO 1400 mAh USB-C BATTERIE
DK - LI-PO 1400 mAh USB-C BATTERI
ES - BATERÍA USB-C LI-PO 1400 mAh (V3air rechargeable)

PART NO.: 951.028



UK - LI-PO 2800 mAh USB-C BATTERY
FR - LI-PO 2800 mAh USB-C BATTERIE
DE - LI-PO 2800 mAh USB-C BATTERIE
DK - LI-PO 2800 mAh USB-C BATTERI
ES - BATERÍA USB-C LI-PO 2800 mAh (V3/V4pro rechargeable)

PART NO.: 951.026



UK - LI-PO 1400 mAh USB-C BATTERY
FR - LI-PO 1400 mAh USB-C BATTERIE
DE - LI-PO 1400 mAh USB-C BATTERIE
DK - LI-PO 1400 mAh USB-C BATTERI
ES - BATERÍA USB-C LI-PO 1400 mAh (S-Series)

PART NO.: 950.095/950.081




UK - TRAFFIC WAND - ORANGE
FR - CÔNE DIFFUSEUR - ORANGE
DE - VERKEHRSWARNUNG - ORANGE
DK - TRAFIK KEGLE - ORANGE
ES - SEÑAL DE TRÁFICO - NARANJA

PART NO.: 950.102/950.087



UK - TRAFFIC WAND - YELLOW
FR - CÔNE DIFFUSEUR - JAUNE
DE - VERKEHRSWARNUNG - GELB
DK - TRAFIK KEGLE - GUL
ES - SEÑAL DE TRÁFICO - AMARILLA

PART NO.: 950.080/950.0105



UK - ANTI ROLL RING
FR - BAGUE ANTI ROULEMENT
DE - ANTI ROLL RING
DK - ANTI ROLL RING
ES - ANILLO ANTIROLLADO

PART NO.: 950.074



UK - STRAP MOUNT
FR - BANDES UNIVERSELLES
DE - UNIVERSELLE KLETTVERSCHLÜSSE
DK - UNIVERSELLE STROPPE
ES - CINTAS DE VELCRO

PART NO.: 950.072



UK - FAST RAIL
FR - RAIL RAPIDE
DE - HELMBEFESTIGUNG SEITLICH FÜR RAILS SYSTEM
DK - MILITÆR HJEMBESLAG
ES - ADAPTADOR PARA CASCOS FAST RAIL

PART NO.: 950.028



UK - DIFFUSER BULB - Q3/V3
FR - AMPOULE DIFFUSEUR - Q3/V3
DE - LICHT STREUER - Q3/V3
DK - LYSSEKÆRM - Q3/V3
ES - ADAPTADOR PARA ACAMPAR - Q3/V3

PART NO.: 950.009



UK - EXTENSION CABLE - 1.3 M
FR - CÂBLE D'EXTENSION - 1.3 M
DE - VERLÄNGERUNGSKABEL - 1.3 M
DK - FORLÆNGERKABEL 1.3 M
ES - CABLE DE EXTENSION - 1.3 M (V3/V4pro rechargeable)

PART NO.: 950.301



UK - EXTENSION CABLE - 70 CM
FR - CÂBLE D'EXTENSION - 70 CM
DE - VERLÄNGERUNGSKABEL - 70 CM
DK - FORLÆNGERKABEL 70 CM
ES - CABLE DE EXTENSION - 70 CM (B6r)


PART NO.: 950.302



UK - GOPRO MOUNT
FR - SUPPORT GOPRO
DE - GOPRO-HALTERUNG
DK - GOPRO MOUNT
ES - SOPORTE PARA GOPRO (B6r)



MEET OUR



AMBASSADORS



Distributor:

 **suprabeam®**

Suprabeam is manufactured by
the Steiner Group and distributed
worldwide by:

Suprabeam A/S
Dyssen 3
DK-8200 Aarhus N, Denmark
Phone: +45 87 525 212

P/N: 006.0037

All technical data and information are subject to change without notice

www.suprabeam.com